Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A compound of Formula (1):

wherein:

Cy is a group of Formula (2):

$$\begin{array}{c}
R_3 \\
R_4
\end{array}$$

$$\begin{array}{c}
R_2 \\
R_5
\end{array}$$

$$(2)$$

C₃₋₇cycloalkyl or phenyl;

 R_1 , R_2 , R_3 , R_4 and R_5 are hydrogen, halogen, hydroxy, amino, trifluoromethyl or nitrile and at least one of R_1 , R_2 , R_3 , R_4 and R_5 is halogen, trifluoromethyl or nitrile;

 R_6 is hydrogen, optionally substituted straight-chained or branched C_{1-3} alkyl, amino or hydroxy;

 R_7 is hydrogen, optionally substituted straight-chained or branched C_{1-3} alkyl, optionally substituted amino or hydroxy;

R₈ is hydrogen, methyl or ethyl;

 R_9 is optionally substituted straight-chained or branched C_{1-6} alkyl, optionally substituted straight-chained or branched C_{2-6} alkenyl, optionally substituted straight-chained or branched C_{2-6} alkynyl, C_{3-7} cycloalkyl or optionally substituted phenyl;

 R_{20} is hydrogen or straight-chained or branched C_{1-3} alkyl or R_{9} and R_{20} may together form C_{3-7} cycloalkyl;

 R_{10} is hydrogen or straight-chained or branched $C_{1\text{--}3}alkyl\,;$ R_{11} is hydrogen, optionally substituted straight-chained

 R_{12} is hydroxy or $-OR_{16}$;

or branched C_{1-3} alkyl, -CO-N(R_{14}) R_{15} , carboxyl;

 R_{13} is hydrogen, straight-chained or branched C_{1-6} alkyl, straight-chained or branched C_{2-6} alkenyl, straight-chained or branched C_{2-6} alkynyl or a group of Formula (3):

$$R_{17}$$
 R_{18} (3)

 R_{14} and R_{15} , which may be the same or different, are hydrogen, optionally substituted straight-chained or branched C_{1-4} alkyl, C_{3-7} cycloalkyl, straight-chained or branched C_{1-4} alkyloxy, straight-chained or branched C_{1-4} alkylsulfonyl or a heterocyclic ring;

 R_{16} is straight-chained C_{1-4} alkyl; R_{17} is hydrogen or methyl; R_{18} and R_{19} together form cycloalkyl or C_{3-7} cycloalkenyl; X is carbonyl or methylene; Y is carbonyl or methylene;

or a hydrate or pharmaceutically acceptable salt thereof.

- 2. (Original) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2); or a hydrate or pharmaceutically acceptable salt thereof.
 - 3. (Original) The compound according to claim 1,

wherein Cy in Formula (1) is a group of Formula (2) in which at least one of R_1 , R_2 , R_3 , R_4 and R_5 is halogen and the others are hydrogen or hydroxy; or a hydrate or pharmaceutically acceptable salt thereof.

- 4. (Original) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2) in which R_3 is halogen or R_2 and R_3 are the same kind of halogen; or a hydrate or pharmaceutically acceptable salt thereof.
- 5. (Original) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2) in which R_3 is halogen and R_1 , R_2 , R_4 and R_5 are hydrogen, or R_2 and R_3 are the same kind of halogen and R_1 , R_4 and R_5 are hydrogen; or a hydrate or pharmaceutically acceptable salt thereof.
- 6. (Original) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2) in which at least one of R_1 , R_2 , R_3 , R_4 and R_5 is trifluoromethyl and the others are hydrogen, halogen or hydroxy; or a hydrate or pharmaceutically acceptable salt thereof.
- 7. (Original) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2) in which at least one of R_1 , R_2 , R_3 , R_4 and R_5 is nitrile and the others are hydrogen, halogen or hydroxy; or a hydrate or pharmaceutically acceptable salt thereof.
- 8. (Original) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2) in which R_3 is trifluoromethyl; or a hydrate or pharmaceutically acceptable salt thereof.

9. (Original) The compound according to claim 1, wherein Cy in Formula (1) is a group of Formula (2) in which R_3 is nitrile; or a hydrate or pharmaceutically acceptable salt thereof.

Claims 10-12. (Canceled)

- 13. (Previously Presented) The compound according to claim 1, wherein R_6 in Formula (1) is hydrogen or methyl; or a hydrate or pharmaceutically acceptable salt thereof.
- 14. (Previously Presented) The compound according to claim 1, wherein R_7 in Formula (1) is hydrogen or optionally substituted amino; or a hydrate or pharmaceutically acceptable salt thereof.
- 15. (Previously Presented) The compound according to claim 1, wherein R_8 in Formula (1) is hydrogen or methyl; or a hydrate or pharmaceutically acceptable salt thereof.
- 16. (Previously Presented) The compound according to claim 1, wherein R₉ in Formula (1) is methyl, isopropyl, isobutyl, sec-butyl, tert-butyl, 3-pentyl, neopentyl, cyclohexyl, phenyl, benzyl, para-hydroxybenzyl, cyclohexylmethyl or para-fluorobenzyl; or a hydrate or pharmaceutically acceptable salt thereof.
- 17. (Previously Presented) The compound according to claim 1, wherein R_{20} in Formula (1) is hydrogen or methyl; or a hydrate or pharmaceutically acceptable salt thereof.

- 18. (Previously Presented) The compound according to claim 1, wherein R_{10} in Formula (1) is hydrogen or methyl; or a hydrate or pharmaceutically acceptable salt thereof.
- 19. (Previously Presented) The compound according to claim 1, wherein R₁₁ in Formula (1) is methyl, hydroxymethyl, carbamoylmethyl, methanesulfonylmethyl, ureidemethyl, sulfamoylaminomethyl, methanesulfonylaminomethyl, carbamoyl, ethylcarbamoyl, n-propylcarbamoyl, isopropylcarbamoyl, cyclopropylcarbamoyl, tertbutylcarbamoyl, methoxycarbamoyl, methylcarbamoyl, methanesulfonylmethylcarbamoyl, methoxymethylcarbamoyl,; or a hydrate or pharmaceutically acceptable salt thereof.
- 20. (Previously Presented) The compound according to claim 1, wherein R_{12} in Formula (1) is hydroxy; or a hydrate or pharmaceutically acceptable salt thereof.
- 21. (Previously Presented) The compound according to claim 1, wherein R_{13} in Formula (1) is isopropyl, tert-butyl (tBu), 1,1-dimethylpropyl or 1,1-dimethyl-2-propenyl; or a hydrate or pharmaceutically acceptable salt thereof.
- 22. (Previously Presented) The compound according to claim 1, wherein in Formula (1) Cy is a group of Formula (2) in which at least one of R_1 , R_2 , R_3 , R_4 and R_5 is halogen and the others are hydrogen or hydroxy; R_6 is hydrogen or methyl; R_7 is hydrogen or optionally substituted amino; R_8 is hydrogen or methyl;

R₉ is methyl, isopropyl, isobutyl, sec-butyl, tert-butyl, 3pentyl, neopentyl, cyclohexyl, phenyl, benzyl, parahydroxybenzyl, para-fluorobenzyl or cyclohexylmethyl; R₂₀ is hydrogen; R₁₀ is hydrogen or methyl; R₁₁ is methyl, hydroxymethyl, carbamoylmethyl, methanesulfonylmethyl, ureidemethyl, sulfamoylaminomethyl, methanesulfonylaminomethyl, carbamoyl, methylcarbamoyl, ethylcarbamoyl, n-propylcarbamoyl, isopropylcarbamoyl, cyclopropylcarbamoyl, tert-butylcarbamoyl, , methanesulfonylmethylcarbamoyl, methoxymethylcarbamoyl, or methoxycarbamoyl,; R_{12} is hydroxy; R₁₃ is isopropyl, tert-butyl (tBu), 1,1-dimethylpropyl or 1,1dimethyl-2-propenyl; or a hydrate or pharmaceutically acceptable salt thereof.

23. (Original) The compound according to claim 1 which is selected from the group of compounds consisting of Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Phe(4-Cl)-N-Me-Val-N-Me- $Tyr(3-tBu)-NH_2$, Phe $(3,4-F_2)-N-Me-Val-N-Me-Tyr(3-tBu)-NH_2$, Phe (3-F) -N-Me-Val-N-Me-Tyr (3-tBu) -NH₂, Phe (4-F) -N-Me-Val-N-Me-Tyr(3-tBu)-NHOMe, 2-((2-amino-3-(4-fluorophenyl)propionyl)-Nmethylamino) - 3-methylbutyric acid 2-(3-tertbutyl-4hydroxyphenyl)-1-(2-pyridylcarbamoyl)ethylamide, N-(2-(2-((2amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3-methylbutyrylamino) -3-(3-tBu-4-hydroxyphenyl)propyl)urea, N-(2-(2-(2-amino-3-(4-fluorophenylpropanoyl-N-methylamino)-3methyl)butyrylamino)-3-(3-tertbutyl-4hydroxyphenyl)propyl)sulfamide, N-[2-(3-tertbutyl-4hydroxyphenyl) -1- (methanesulfonylaminomethyl) ethyl] -2- [N- (4fluorophenylalanyloyl) methylamino] - 3-methylbutanamide, 2-((2-

- 7 -

amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3methylbutyric acid 2-(3-t-butyl-4-hydroxyphenyl)-1carbamidemethylethylamide, 2-((2-amino-3-(4fluorophenyl)propionyl)-N-methylamino)-3-methylbutyric acid 2-(3-t-butyl-4-hydroxyphenyl)-1-methanesulfonylmethylethylamide, 2-(2-((2-amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3methyl-butyrylamino) -3-(3-tBu-4-hydroxyphenyl) propanol, 2-(1-(2-((2-amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3methyl-butyrylamino) -2-(3-tertbutyl-4-hydroxyphenyl) ethyl) -6methyl-4-pyrimidinone, 2-((2-amino-3-(4fluorophenyl)propionyl)-N-methylamino)-3-methylbutyric acid 2-(3-t-butyl-4-hydroxyphenyl)-1-(1,3,4-oxadiazol-2yl)ethylamide, 2-((2-amino-3-(4-fluorophenyl)propionyl)-Nmethylamino) -3-methylbutyric acid 2-(3-t-butyl-4hydroxyphenyl)-1-(1,2,4-oxadiazol-5-yl)ethylamide, 2-((2amino-3-(4-fluorophenyl)propionyl)-N-methylamino)-3methylbutyric acid 2-(3-tertbutyl-4-hydroxyphenyl)-1-(thiazol-2-yl)ethylamide, 2-((2-amino-3-(4-fluorophenyl)propionyl)-Nmethylamino)-3-methylbutyric acid 2-(3-t-butyl-4hydroxyphenyl)-1-(1,3,4-triazol-2-yl)ethylamide, Tyr(2-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Tyr(3-F)-N-Me-Val-N-Me-Tyr(3-tBu)- NH_2 , $Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NH_2$, N-Me-Phe(4-F)-N-Me-Val- $Tyr(3-tBu)-NH_2$, $N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NH_2$, Phe(4-F)-N-Me-Val-Tyr(3-tBu)F)-N-Me-Val-Tyr(3-tBu)-NHMe, N-Me-Phe(4-F)-N-Me-Val-Tyr(3tBu)-NHMe, N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHMe, N-Me-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, N-Et-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NH₂, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHMe, N-Me-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHMe, N-Et-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHMe, Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)- NH_2 , N-Me-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NH₂, <math>N-Et-Phe(4-F)- $N-Me-Val-N-Et-Tyr(3-tBu)-NH_2$, Phe(4-F)-N-Me-Val-N-Et-Tyr(3tBu)-NHMe, N-Me-Phe(4-F)-N-Me-Val- N-Et-Tyr(3-tBu)-NHMe, N-Et-

Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHMe, Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHtBu, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCH₂SO₂CH₃, Phe (4-F) -N-Me-Val-Tyr(3-tBu) -NHEt, N-Me-Phe (4-F) -N-Me-Val-Tyr(3-tBu)-NHEt, N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHEt, Phe (4-F)-N-Me-Val-Tyr (3-tBu)-NHCH₂OH, N-Me-Phe (4-F)-N-Me-Val-Tyr(3-tBu)-NHCH₂OH, N-Et-Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHCH₂OH, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHEt, N-Me-Phe(4-F)-Me-Tyr(3-tBu)N-Me-Val-N-Me-Tyr(3-tBu)-NHEt, N-Et-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu) - NHEt, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCH2OH, N-Me-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCH₂OH, N-Et-Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHCH2OH, Phe(4-F)-N-Me-Val-N-Et-Tyr(3tBu)-NHEt, N-Me-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHEt, N-Et-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHEt, Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHCH2OH, N-Me-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHCH₂OH, N-Et-Phe(4-F)-N-Me-Val-N-Et-Tyr(3-tBu)-NHCH₂OH, Phe(4-F)-N-Me-Val-N-Me-Tyr(3-tBu)-NHcPr, and Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHnPr Phe(4-F)-N-Me-Val-Tyr(3-tBu)-NHiPr; or a hydrate or pharmaceutically acceptable salt thereof.

- 24. (Previously Presented) A pharmaceutical composition containing an effective amount of the compound according to claim 1 as an active ingredient and an inert pharmaceutically acceptable carrier.
- 25. (Previously Presented) A motilin receptor antagonist composition containing an effective amount of the compound according to claim 1 and an inert pharmaceutically acceptable carrier.

Claims 26-27. (Cancelled)

28. (Previously Presented) A compound of Formula (4):

$$\begin{array}{c|c}
Cy & R_6 & R_8 & R_{12} \\
R_7' & X' & R_{20} & R_9 & R_{10}
\end{array}$$
(4)

wherein

Cy, R_6 , R_8 , R_9 , R_{20} , R_{10} , R_{12} , R_{13} , X and Y are as defined in claim 1;

 R_7 ' is hydrogen, straight-chained or branched C_{1-3} alkyl optionally having at least one protected substituent, amino optionally having at least one protected substituent or protected hydroxy; and

 R_{11} " is hydrogen, optionally substituted straight-chained or branched C_{1-3} alkyl, -CO-N(R_{14}) R_{15} , wherein R_{14} and R_{15} are as defined in claim 1, carboxyl, straight-chained or branched C_{1-3} alkyl having a protected amino; or a hydrate or pharmaceutically acceptable salt thereof.

29. (Previously Presented) A compound of Formula (5):

$$\begin{array}{c|c}
Cy & R_6 \\
R_7" & X & R_{20} & R_9 & R_{10}
\end{array}$$

$$\begin{array}{c|c}
R_{12} \\
R_{13} \\
R_{11}'
\end{array}$$
(5)

wherein:

Cy, R_6 , R_8 , R_9 , R_{20} , R_{10} , R_{12} , R_{13} , X and Y are as defined in claim 1;

 R_7 " is hydrogen, straight-chained or branched C_{1-3} alkyl optionally having at least one optionally protected

substituent, amino optionally having at least one optionally protected substituent or optionally protected hydroxy; and

 $$R_{11}'$$ is hydrogen, straight-chained or branched C_{1-} $_3alkyl$ optionally having at least one protected substituent, - $CO-N\left(R_{14}\right)R_{15}$ wherein R_{14} and R_{15} are as defined in claim 1, carboxyl

or a hydrate or pharmaceutically acceptable salt thereof.

30. (Currently Amended) A compound of Formula (6):

$$\begin{array}{c|c}
R_{12} \\
R_{13} \\
R_{20} \\
R_{9} \\
R_{10}
\end{array}$$
(6)

wherein:

 R_8 is hydrogen, optionally-substituted straight-chained or branched C_{1-3} alkyl, optionally substituted amino, or hydroxy;

 R_9 , is optionally-substituted straight-chained or branched C_{1-6} alkyl, optionally substituted straight-chained or branched C_{2-6} alkenyl, optionally substituted straight-chained or branched C_{2-6} alkynyl, C_{3-7} cycloalkyl or optionally substituted phenyl;

 R_{20} is hydrogen or straight-chained or branched C_{1-3} alkyl; or R_9 and R_{20} may together form C_{3-7} cycloalkyl;

 $$R_{10}$$ is hydrogen or straight-chain or branched $$C_{1\text{--}3}$$ alkyl;

R₁₂ is hydroxy or OR₁₆;

 R_{13} is hydrogen, straight-chained or branched C_{1-6} alkyl, straight-chained or branched C_{2-6} alkenyl, straight-chained or branched C_{2-6} alkynyl or a group of Formula (3)

$$R_{17}$$
 R_{18}
 R_{19}

Wherein R₁₇ is hydrogen or methyl;

 R_{18} and R_{19} together form cycloalkenyl or $C_{3\mbox{--}7}$ cycloalkenyl; and

Y is carbonyl or methylene;

P₁ is hydrogen or a protecting group of amine; and R₁₁''' is hydrogen, optionally substituted straight-chained or branched C_{1-3} alkyl, -CO $N(R_{14})R_{15}$ wherein R_{14} and R_{15} , which may be the same or different, are hydrogen, optionally substituted straight chained or branched C1-4-alkyl, C3-7 cycloalkyl, straight chained or branched C1-4 alkoxy, straight chained or branched C1 4alkylsulfonyl or a heterocyclic ring, carboxyl, straight-chained or branched C1-3alkyl having protected amino or an optionally substituted heterocyclic ring+, or -CO- $N(R_{14})R_{15}$ wherein R_{14} and R_{15} , which may be the same or different, are hydrogen, optionally substituted straightchained or branched C₁₋₄ alkyl, C₃₋₇ cycloalkyl, straightchained or branched C1-4 alkoxy, straight-chained or branched C₁₋₄alkylsulfonyl or a heterocyclic ring, carboxyl, straightchained or branched C1-3alkyl having protected amino or an optionally substituted heterocyclic ring;

or a hydrate or pharmaceutically acceptable salt thereof.

Claims 31-34. (Canceled)